ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMF).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	DERTY INFO	RMATION		FOR INSURANCE	COMPANY USE
SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME					POLICY NUMBER	
MANNY 6 MARY JO OLIVEIRA						
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC N	UMBER
7639 WELLS						
LOT 6. BLOCK						
CITY CITY	D			STATE		ZIP CODE
NEW PORT RIC	HEY				FLA	
	SECTION B FL	OOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	ne proper FIRM (See	Instructions):		4		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLO	DOD ELEVATION nes, use depth)
120234	0003	В	7-5-83	A13	13.	0
the community's. BFE:	lll. feet N	GVD (or other	FIRM datum-see Section	B, Item 7).	or (nis bullaing	site, maicate
	SECTIO	DN C BUILDI	ING ELEVATION INFORM	ATION		
level) elevated in acco 3. Indicate the elevation dat under Comments on Pag the FIRM [see Section I equation under Commen	the highest grade action used as the reference adjacent to the build redance with the commun system used in die 2). (NOTE: If the converse on Page 2.)	fjacent to the brence level from the fing. If no flood munity's flood pretermining the elevation daturent the elevation	building. In the selected diagram is depth number is available which management ordinance above reference level elem used in measuring the elems to the datum system uses to the datum system uses to the datum system uses the selections.	e, is the building ce? Yes vations: NG elevations is different on the FIRM	bove or be 's lowest floor No Unknown	low (check (reference own her (describe used on
4. Elevation reference mark	used appears on FII	RM: X Yes	No (See Instructions o	n Page 4)		
case this certificate will of will be required once con-	tion dr <mark>awings</mark> is only nly be valid for the bu structlon is complete.	valid if the bui ilding during to)	ilding does not yet have the het course of construction.	e reference leve A post-construc	ction Elevation	Certificate
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	he building is: 115	.7_ feet NGVD	(or other FIRM	datum-see
111 11	S	ECTION D C	OMMUNITY INFORMATI	ON 1	1	.
If the community official is not the "lowest floor" a	as defined in the compordinance is:	munity's floodp	plain management ordinan NGVD (or other FIRM dat	ice, the elevation	of the building	ction C, Item g's "lowest

FEMA Form 81-31, MAY 90

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any faise statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LIGHT WILLIAM AND A AND A		
	LICENSE NUMBER (or Affix S		
JOSEPH B. SMITH, JR.	FLORIDA RLS #400	<u> </u>	
PRESIDENT	A. S. G E.		
ADDRESS	CITY	STATE	ZII
39926 US HWY. 19	TARPON SPRINGS	FLA	34689
SIGNATURE SIGNATURE	DATE DATE		34003
Abrel PASI	10-4-94 DATE 9	38-9444E	
Copies should be made of this Certificate for: 1) of	community official, 2) insurance agent/co	ompany, and 3) build	ing owner.
1		4	
COMMENTS:			
·	t-		11
4			
16 10-		1	
			1
			4 4
		4 / 4	W 41
1	t - Market and Application of the same of	l l	1 1
ON SLAB	BASEMENT	ON PILES, PÆRS, OR COLUMNS	
Å V		A ' V	1 1
ZONES ZONES	ZONES	ZONES ZONES	T 1
	REFERENC		REFERENCE
REFERENCE IN THE	BASE LEVEL FLOOD		LEVEL
	ELEVATION		
AND	mund munden	me my	my
			BASE
BASE	ADJACENT REFERENCE	NY h	FLOOD
REFERENCE ADJACENT LEVEL GRADE	GRADE	All h	
LEVEL J CHADE		1111	V.

The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.